



CAT. NO.	TT	SPINAL ROD 6.0MM
642.040	TT	Spinal Rod- Ø 6.0 mm x 40 mm
642.050	TT	Spinal Rod- Ø 6.0 mm x 50 mm
642.060	TT	Spinal Rod- Ø 6.0 mm x 60 mm
642.070	TT	Spinal Rod- Ø 6.0 mm x 70 mm
642.080	TT	Spinal Rod- Ø 6.0 mm x 80 mm
642.090	TT	Spinal Rod- Ø 6.0 mm x 90 mm
642.100	TT	Spinal Rod- Ø 6.0 mm x 100 mm
642.110	TT	Spinal Rod- Ø 6.0 mm x 110 mm
642.120	TT	Spinal Rod- Ø 6.0 mm x 120 mm
642.130	TT	Spinal Rod- Ø 6.0 mm x 130 mm
642.140	TT	Spinal Rod- Ø 6.0 mm x 140 mm
642.150	TT	Spinal Rod- Ø 6.0 mm x 150 mm
642.160	TT	Spinal Rod- Ø 6.0 mm x 160 mm
642.170	TT	Spinal Rod- Ø 6.0 mm x 170 mm
642.180	TT	Spinal Rod- Ø 6.0 mm x 180 mm
642.190	TT	Spinal Rod- Ø 6.0 mm x 190 mm
642.200	TT	Spinal Rod- Ø 6.0 mm x 200 mm
642.210	TT	Spinal Rod- Ø 6.0 mm x 210 mm
642.220	TT	Spinal Rod- Ø 6.0 mm x 220 mm
642.230	TT	Spinal Rod- Ø 6.0 mm x 230 mm
642.240	TT	Spinal Rod- Ø 6.0 mm x 240 mm
642.250	TT	Spinal Rod- Ø 6.0 mm x 250 mm
642.260	TT	Spinal Rod- Ø 6.0 mm x 260 mm
642.270	TT	Spinal Rod- Ø 6.0 mm x 270 mm
642.280	TT	Spinal Rod- Ø 6.0 mm x 280 mm
642.290	TT	Spinal Rod- Ø 6.0 mm x 290 mm
642.300	TT	Spinal Rod- Ø 6.0 mm x 300 mm
642.350	TT	Spinal Rod- Ø 6.0 mm x 350 mm
642.400	TT	Spinal Rod- Ø 6.0 mm x 400 mm
642.450	TT	Spinal Rod- Ø 6.0 mm x 450 mm
642.500	TT	Spinal Rod- Ø 6.0 mm x 500 mm

Specification

- Spinal Rod available in Titanium.
- Available length 40 & 500mm with 6.0mm diameter.

Indication for use

- It is a component of Spine Fixation System intended for use in the pedicle Screw fixation or in the anterolateral lateral spine fixation system.
- In the event that additional torsion stability is required, a cross connector assembled with 6.0mm connecting rod is used.
- The device is indicated for the treatment of degenerative disc disease, Spondylolisthesis, trauma (fracture or dislocation), deformity, or curvature (scoliosis, kyphosis, and lordosis) tumor, stenosis, pseudoarthrosis, and previous failed fusion.

